

Accessibility Conformance and Remediation Form

Instructions

This form serves as means for auditors and vendors to document accessibility gaps associated with AIMT products and to indicate plans for addressing these gaps in the future.

We ask that you complete the **form** provided on the next page as follows:

1. **Product/Vendor Information:** Provide the information requested
2. **Issue Description:** List each major accessibility issue for the product Including the following:
 - Gaps identified from the WCAG 2.0 A & AA guidelines, Voluntary Product Accessibility Template (VPAT) and EPUB3 Accessibility Guidelines (if applicable)
 - Gaps identified in other product support documentation
 - Gaps identified by a third-party accessibility evaluation report (if available)
3. **Current Status:** Enter one of the following values:
 - Open: The issue has not yet been resolved
 - Closed: The issue has already been resolved
 - I/P: The issue is currently under investigation
 - Other
4. **Disposition:** Enter one of the following values:
 - Planned: The issue will be resolved
 - Deferred: The issue will not be resolved
 - I/P: The issue is currently under investigation
 - Other
5. **Remediation Timeline:** Enter when you anticipate that the issue will be resolved
6. **Available Workarounds (for vendor only):** Describe the business processes vendor will offer or third-party products that should be considered to work around the issue until full remediation.
7. **Comments (optional):** Provide details/description regarding the issue
8. **Additional Information (optional):** Provide any additional discussion regarding accessibility plans

Vendor/Product Information

Vendor Name	Texthelp, Inc.
Product Name	Read & Write
Product Version	
Completion Date	
Contact Name/Title	Patrick Osbahr, Business Development Executive
Contact Email/Phone	p.osbahr@texthelp.com 888-248-0652

Specific Issues

Issue Description	Current Status (Open, Closed, I/P)	Disposition (Planned, Deferred, I/P)	Remediation Timeline	Available Workarounds	Comments
Example: Images on the landing page lack equivalent alternate text	Open	Planned	Q3, 2015 release (v1.2)		Functional images will receive descriptive alternate text; decorative images will receive null alternate text.

Additional Information:

Read&Write Windows

Accessibility Task

PDF viewer top and bottom bars are not screen-readable. The SDK accessibility option will be added. Aria tags will be added to all toolbar buttons.

Option will be added to screenshot reader so it can be used via keyboard.

Tooltips to be dismissable using keyboard

Text Indicating status or progress should contain an accessible role of Status or Progress

Estimated Delivery

30th Jun 2024

30th Jun 2024

30th Jun 2024

30th Jun 2024

Read&Write for Google Chrome

Accessibility Task

If selection changes and it was not via mouse Dictionary, Picture Dictionary and Translator dialogs should update to using the word at the caret position

Options panel screen main menu will be added to the tab order. Make all other components within each panel follow the tab order

Tooltips to be dismissable using keyboard

Estimated Delivery

30th Jun 2024

30th Jun 2024

30th Jun 2024