	information, Documentation, and Support
	Information Doggeneration and Comment
	Functional Performance
Desktops and Portable Computers http://www.access-board.gov/sec508/guide/1194.26.htm	Desktops and Portable Computers
Self-Contained or Closed products http://www.access-board.gov/sec508/guide/1194.25.htm	Self-Contained or Closed products
Video and Multi-Media Products http://www.access-board.gov/sec508/guide/1194.24.htm	Video and Multi-Media Products
Telecommunications Products http://www.access-board.gov/sec508/guide/1194.23.htm	Telecommunications Products
Web-Based Applications http://www.access-board.gov/sec508/guide/1194.22.htm	Web-Based Applications
Software Applications and Operating Systems http://www.access-board.gov/sec508/guide/1194.21.htm	Software Applications and Operating Systems
Guide to Standards	Product Type
Accessibility Compliance Evaluation Template	Accessibility Compli
Summary Table	Sumn

Softv Vo	Software Applications and Operating Systems Voluntary Product Accessibility Template	ating Systems
Criteria	Compliant? (Yes / No)	Exceptions to Standard
(a) When software is designed to run on a system that has a keyboard, product		
functions shall be executable from a keyboard where the function itself or the result		
of performing a function can be discerned textually.	Not applicable.	
(b) Applications shall not disrupt or disable activated features of other products that		
are identified as accessibility features, where those features are developed and		
documented according to industry standards. Applications also shall not disrupt or		
disable activated features of any operating system that are identified as accessibility		
features where the application programming interface for those accessibility features		
has been documented by the manufacturer of the operating system and is available	Not applicable.	
(c) A well-defined on-screen indication of the current focus shall be provided that		
moves among interactive interface elements as the input focus changes. The focus		
shall be programmatically exposed so that Assistive Technology can track focus and		
focus changes.	Not applicable.	
(d) Sufficient information about a user interface element including the identity,		
operation and state of the element shall be available to Assistive Technology. When		
an image represents a program element, the information conveyed by the image		
must also be available in text.	Not applicable.	
(e) When bitmap images are used to identify controls, status indicators, or other		
programmatic elements, the meaning assigned to those images shall be consistent		
throughout an application's performance.	Not applicable.	
(f) Textual information shall be provided through operating system functions for		
displaying text. The minimum information that shall be made available is text		
content, text input caret location, and text attributes.	Not applicable.	
(g) Applications shall not override user selected contrast and color selections and		
other individual display attributes.	Not applicable.	
(h) When animation is displayed, the information shall be displayable in at least one		
non-animated presentation mode at the option of the user.	Not applicable.	
(i) Color coding shall not be used as the only means of conveying information,		
indicating an action, prompting a response, or distinguishing a visual element.	Not applicable.	
(j) When a product permits a user to adjust color and contrast settings, a variety of		
color selections capable of producing a range of contrast levels shall be provided.	Not applicable.	
(k) Software shall not use flashing or blinking text, objects, or other elements having		
a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	Not applicable.	
(1) When electronic forms are used, the form shall allow people using Assistive		
Technology to access the information, field elements, and functionality required for		
completion and submission of the form, including all directions and cues.	Not applicable.	

	ies	unic to indicate more unic is required.
Timed responses are not needed.		(p) When a timed response is required, the user shall be alerted and given sufficient
	Yes	(o) A method shall be provided that permits users to skip repetitive navigation links.
	Yes	directions and cues.
		and functionality required for completion and submission of the form, including all
		allow people using Assistive Technology to access the information, field elements,
		(n) When electronic forms are designed to be completed on-line, the form shall
	Yes	in or applet that complies with \$1194.21(a) through (l).
		on the client system to interpret page content, the page must provide a link to a plug-
No external applets or plugins are necessary		(m) When a web page requires that an applet, plug-in or other application be present
	Yes	text that can be read by Assistive Technology.
		elements, the information provided by the script shall be identified with functional
		(1) When pages utilize scripting languages to display content, or to create interface
	Yes	updated whenever the primary page changes.
		be accomplished in any other way. The content of the text-only page shall be
		to make a web site comply with the provisions of this part, when compliance cannot
This is not necessary as all of the content pages are compliant.		(k) A text-only page, with equivalent information or functionality, shall be provided
	Yes	greater than 2 Hz and lower than 55 Hz.
		(j) Pages shall be designed to avoid causing the screen to flicker with a frequency
Frames are not used	Yes	(i) Frames shall be titled with text that facilitates frame identification and navigation
	No	have two or more logical levels of row or column headers.
Not all of our tables have assistive markups.		(h) Markup shall be used to associate data cells and header cells for data tables that
Not all of our tables have tags identifying column and row headers	No	(g) Row and column headers shall be identified for data tables.
	Yes	except where the regions cannot be defined with an available geometric shape.
		(f) Client-side image maps shall be provided instead of server-side image maps
Server side image maps are not used.	Yes	image map.
		(e) Redundant text links shall be provided for each active region of a server-side
	Yes	associated style sheet.
		(d) Documents shall be organized so they are readable without requiring an
	Yes	available without color, for example from context or markup.
		(c) Web pages shall be designed so that all information conveyed with color is also
transcripts.	No	with the presentation.
Not all of our videos have synchronized textual narration, but most of them have text		(b) Equivalent alternatives for any multimedia presentation shall be synchronized
	Yes	"longdesc", or in element content).
		(a) A text equivalent for every non-text element shall be provided (e.g., via "alt",
Exceptions to Standard	Compliant? (Yes / No)	Criteria
uation Template	Accessibility Compliance Evaluation Template	Acce
itions	Web-Based Applications	

Note to 1194.22: The Board interprets paragraphs (a) through (k) of this section as consistent with the following priority 1 Checkpoints of the Web Content Accessibility Guidelines 1.0 (WCAG 1.0) (May 5 1999) published by the Web Accessibility Initiative of the World Wide Web Consortium: Paragraph (a) - 1.1, (b) - 1.4, (c) - 2.1, (d) - 6.1, (e) - 1.2, (f) - 9.1, (g) - 5.1, (h) - 5.2, (i) - 12.1, (j) - 7.1, (k) - 11.4.

ns ns ns ns ns ns the result of the result o	s. with the with ole to with	(h) Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless couto hearing technologies shall be provided. (i) Interference to hearing technologies (including hearing aids, cochlear implant and assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product. (j) Products that transmit or conduct information or communication, shall pass through cross-manufacturer, non-proprietary, industry-standard codes, translatio protocols, formats or other information necessary to provide the information or communication in a usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove information needed for access or shall restore it upon delivery. (k)(1) Products which have mechanically operated controls or keys shall comply the following: Controls and Keys shall be tactilely discernible with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to active controls and keys shall be 5 lbs. (22.2N) maximum. (k)(3) Products which have mechanically operated controls or keys shall comply the following: The yepeat is supported, the delay before repeat shall be adjustable at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character, (k)(4) Products which have mechanically operated controls or keys shall comply the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.
ns n	s. with with he ate with le to	(i) Interference to hearing technologies (including hearing aids, cochl on hearing technologies shall be provided. (ii) Interference to hearing technologies (including hearing aids, cochl and assistive listening devices) shall be reduced to the lowest possible allows a user of hearing technologies to utilize the telecommunication; (j) Products that transmit or conduct information or communication; (j) Products that transmit or conduct information or communication; (j) Products that transmit or conduct information necessary to provide the inforcommunication in a usable format. Technologies which use encoding compression, format transformation, or similar techniques shall not reinformation needed for access or shall restore it upon delivery. (k) (1) Products which have mechanically operated controls or keys shall be following: Controls and Keys shall be tactilely discernible without controls or keys. (k) (2) Products which have mechanically operated controls or keys shall be following: Controls and Keys shall be operable with one hand and equire tight grasping, pinching, twisting of the wrist. The force requirements is not keys shall be 5 lbs. (22.2N) maximum. (k) (3) Products which have mechanically operated controls or keys shall be following: If key repeat is supported, the delay before repeat shall teast 2 seconds. Key repeat rate shall be adjustable to 2 seconds per k) (4) Products which have mechanically operated controls or keys shall be following: The status of all locking or toggle controls or keys shall be following: The status of all locking or toggle controls or keys shall
90		(i) Interference to hearing technologies (including hearing aids, cochlind assistive listening devices) shall be provided. (i) Interference to hearing technologies (including hearing aids, cochlind assistive listening devices) shall be reduced to the lowest possible allows a user of hearing technologies to utilize the telecommunication; (j) Products that transmit or conduct information or communication; of through cross-manufacturer, non-proprietary, industry-standard codes protocols, formats or other information necessary to provide the inforcommunication in a usable format. Technologies which use encoding compression, format transformation, or similar techniques shall not reinformation needed for access or shall restore it upon delivery. (k)(1) Products which have mechanically operated controls or keys she following: Controls and Keys shall be tactilely discernible without controls or keys. (k)(2) Products which have mechanically operated controls or keys she following: Controls and Keys shall be operable with one hand and equire tight grasping, pinching, twisting of the wrist. The force require tight grasping, pinching, twisting of the delay before repeat shall telast 2 seconds. Key repeat is supported, the delay before repeat shall telast 2 seconds. Key repeat rate shall be adjustable to 2 seconds per k)(4) Products which have mechanically operated controls or keys shall be adjustable to 2 seconds per k)(4) Products which have mechanically operated controls or keys shall be adjustable to 2 seconds per k)(4) Products which have mechanically operated controls or keys shall be adjustable to 2 seconds per k)(4) Products which have mechanically operated controls or keys shall be adjustable to 2 seconds per k)(4) Products which have mechanically operated controls or keys shall be adjustable to 2 seconds per k)(4) Products which have mechanically operated controls or keys shall be adjustable to 2 seconds per k)(4) Products which have mechanically operated controls or keys shall be adjustable to 2 seconds per k)
90		(h) Where a telecommunications product delivers output by an audio which is normally held up to the ear, a means for effective magnetic v to hearing technologies shall be provided. (i) Interference to hearing technologies (including hearing aids, cochl and assistive listening devices) shall be reduced to the lowest possible allows a user of hearing technologies to utilize the telecommunication; (i) Products that transmit or conduct information or communication; shrough cross-manufacturer, non-proprietary, industry-standard codes protocols, formats or other information necessary to provide the inforcommunication in a usable format. Technologies which use encoding compression, format transformation, or similar techniques shall not reinformation needed for access or shall restore it upon delivery. (k) (1) Products which have mechanically operated controls or keys she following: Controls and Keys shall be aperable with one hand and equire tight grasping, pinching, twisting of the wrist. The force requirents of the wings of the wings and keys shall be 5 lbs. (22.2N) maximum. (k) (3) Products which have mechanically operated controls or keys she following: If key repeat is supported, the delay before repeat shall teleast 2 seconds. Key repeat rate shall be adjustable to 2 seconds per
ons ons one	on with the with with with	(h) Where a telecommunications product delivers output by an audio which is normally held up to the ear, a means for effective magnetic v to hearing technologies shall be provided. (i) Interference to hearing technologies (including hearing aids, cochl and assistive listening devices) shall be reduced to the lowest possible allows a user of hearing technologies to utilize the telecommunication (i) Products that transmit or conduct information or communication, shrough cross-manufacturer, non-proprietary, industry-standard codes protocols, formats or other information necessary to provide the information in a usable format. Technologies which use encoding compression, format transformation, or similar techniques shall not reinformation needed for access or shall restore it upon delivery. (k)(1) Products which have mechanically operated controls or keys she following: Controls and Keys shall be operable with one hand and equire tight grasping, pinching, twisting of the wrist. The force requirenties that the products which have mechanically operated controls or keys she following: Controls and Keys shall be 5 lbs. (22.2N) maximum. (k)(3) Products which have mechanically operated controls or keys she following: Gontrols and keys shall be 5 lbs. (22.2N) maximum.
00		(i) Interference to hearing technologies (including hearing aids, cochl and assistive listening devices) shall be provided. (i) Interference to hearing technologies (including hearing aids, cochl and assistive listening devices) shall be reduced to the lowest possible allows a user of hearing technologies to utilize the telecommunication (j) Products that transmit or conduct information or communication (j) Products, formats or other information necessary to provide the infor communication in a usable format. Technologies which use encoding compression, format transformation, or similar techniques shall not reinformation needed for access or shall restore it upon delivery. (k)(1) Products which have mechanically operated controls or keys she following: Controls and Keys shall be tactilely discernible without controls or keys. (k)(2) Products which have mechanically operated controls or keys she following: Controls and Keys shall be operable with one hand and require tight graspoing, pinching, twisting of the wrist. The force requirent to the products which have mechanically operated controls or keys she following: Controls and Keys shall be following: Controls and Keys shall be operable with one hand and require tight graspoing, pinching, twisting of the wrist. The force requirent is the following of the controls of the controls of keys shall be following: Controls and Keys shall be following: Controls and Keys shall be sperable with one hand and require tight graspoing, pinching, twisting of the wrist. The force required controls or keys shall be followed to the controls or keys shall be followed to the controls or keys shall be sperable controls or keys shall be followed to the controls or keys shall be followed to th
00		(i) Interference to hearing technologies (including hearing aids, cochl on assistive listening devices) shall be provided. (i) Interference to hearing technologies (including hearing aids, cochl and assistive listening devices) shall be reduced to the lowest possible and assistive listening devices) shall be reduced to the lowest possible allows a user of hearing technologies to utilize the telecommunication (j) Products that transmit or conduct information or communication shrough cross-manufacturer, non-proprietary, industry-standard codes protocols, formats or other information necessary to provide the infor communication in a usable format. Technologies which use encoding compression, format transformation, or similar techniques shall not reinformation needed for access or shall restore it upon delivery. (k)(1) Products which have mechanically operated controls or keys shall be following: Controls and Keys shall be tactilely discernible without controls or keys. (k)(2) Products which have mechanically operated controls or keys shall be following: Controls and Keys shall be operable with one hand and equire tight grasping, pinching, twisting of the wrist. The force require ontrols and keys shall be 5 lbs. (22.2N) maximum.
th th	th th	(i) Interference to hearing technologies (including hearing aids, cochl on assistive listening devices) shall be provided. (i) Interference to hearing technologies (including hearing aids, cochl and assistive listening devices) shall be reduced to the lowest possible and assistive listening devices) shall be reduced to the lowest possible allows a user of hearing technologies to utilize the telecommunication; in the communication of the communication of the communication of the products that transmit or conduct information or communication; shrough cross-manufacturer, non-proprietary, industry-standard codes sprotocols, formats or other information necessary to provide the infor communication in a usable format. Technologies which use encoding compression, format transformation, or similar techniques shall not reinformation needed for access or shall restore it upon delivery. Information needed for access or shall restore it upon delivery. Information needed for access or shall restore it upon delivery. Information or keys shall be tactilely discernible without controls or keys shall be following: Controls and Keys shall be operable with one hand and equire tight grasping, pinching, twisting of the wrist. The force require quire tight grasping, pinching, twisting of the wrist.
ions titions s. gain tone a lafter er coupling coupling rints, at at t.	ints. It. It. It. It. It. It. It.	(i) Interference to hearing technologies (including hearing aids, cochl in dassitive listening devices) shall be provided. (i) Interference to hearing technologies (including hearing aids, cochl and assistive listening devices) shall be reduced to the lowest possible allows a user of hearing technologies to utilize the telecommunication; (j) Products that transmit or conduct information or communication; (j) Products that transmit or conduct information provide the information or communication; (j) Products that transmit or conduct information necessary to provide the informough cross-manufacturer, non-proprietary, industry-standard codes protocols, formats or other information necessary to provide the information in a usable format. Technologies which use encoding compression, format transformation, or similar techniques shall not reinformation needed for access or shall restore it upon delivery. (k)(1) Products which have mechanically operated controls or keys she following: Controls and Keys shall be operable with one hand and the following: Controls and Keys shall be operable with one hand and
ions litions s. gain t one ne. a l after er coupling nnts, tt	ints. It. It. Iy with Iy with Iy with	(h) Where a telecommunications product delivers output by an audio which is normally held up to the ear, a means for effective magnetic v to hearing technologies shall be provided. (i) Interference to hearing technologies (including hearing aids, cochl and assistive listening devices) shall be reduced to the lowest possible allows a user of hearing technologies to utilize the telecommunication; (j) Products that transmit or conduct information or communication; a through cross-manufacturer, non-proprietary, industry-standard codes protocols, formats or other information necessary to provide the inforcommunication in a usable format. Technologies which use encoding compression, format transformation, or similar techniques shall not reinformation needed for access or shall restore it upon delivery. (k)(1) Products which have mechanically operated controls or keys she following: Controls and Keys shall be tactilely discernible without controls or keys.
usable by TTY users with their TTYs. messaging, auto-attendant, and interactive voice response telecommunications usable by TTY users with their TTYs. messaging, auto-attendant, and interactive voice response messaging, auto-attendant, and interactive voice response from a user within a time ve an alert when the time interval is about to run out, and shall nt time for the user to indicate more time is required. ded, caller identification and similar telecommunications functions that the for users of TTYs, and for users who cannot see displays. ed voice signals, telecommunications products shall provide a gain a minimum of 20 dB. For incremental volume control, at least one pof 12 dB of gain shall be provided. munications product allows a user to adjust the receive volume, a provided to automatically reset the volume to the default level after communications product delivers output by an audio transducer ly held up to the ear, a means for effective magnetic wireless coupling ologies shall be provided. o hearing technologies (including hearing aids, cochlear implants, ening devices) shall be reduced to the lowest possible level that hearing technologies to utilize the telecommunication, shall pass anufacturer, non-proprietary, industry-standard codes, translation ts or other information necessary to provide the information or in a usable format. Technologies which use encoding, signal material technologies which use encoding, signal elef for access or shall restore it upon delivery. which have mechanically operated controls or keys shall comply with outrols and Keys shall be tactilely discernible without activating the	5	(h) Where a telecommunications product delivers output by an audio which is normally held up to the ear, a means for effective magnetic v to hearing technologies shall be provided. (i) Interference to hearing technologies (including hearing aids, cochl and assistive listening devices) shall be reduced to the lowest possible allows a user of hearing technologies to utilize the telecommunication; (i) Products that transmit or conduct information or communication, shrough cross-manufacturer, non-proprietary, industry-standard codes protocols, formats or other information necessary to provide the inforcommunication in a usable format. Technologies which use encoding compression, format transformation, or similar techniques shall not reinformation needed for access or shall restore it upon delivery. (k)(1) Products which have mechanically operated controls or keys she following: Controls and Keys shall be tactilely discernible without controls or keys.
th ng	5	(h) Where a telecommunications product delivers output by an audio which is normally held up to the ear, a means for effective magnetic v to hearing technologies shall be provided. (i) Interference to hearing technologies (including hearing aids, cochl and assistive listening devices) shall be reduced to the lowest possible and assistive listening devices) shall be reduced to the lowest possible allows a user of hearing technologies to utilize the telecommunication (j) Products that transmit or conduct information or communication, shrough cross-manufacturer, non-proprietary, industry-standard codes protocols, formats or other information necessary to provide the information in a usable format. Technologies which use encoding compression, format transferration, or similar techniques shall not reinformation needed of accessor shall restore it upon delivery. (k)(1) Products which have mechanically operated controls or keys she following: Controls and Keys shall be tactilely discernible without
00		(h) Where a telecommunications product delivers output by an audio which is normally held up to the ear, a means for effective magnetic v to hearing technologies shall be provided. (i) Interference to hearing technologies (including hearing aids, cochl and assistive listening devices) shall be reduced to the lowest possible and assistive listening technologies to utilize the telecommunication of hearing technologies to utilize the telecommunication. If Products that transmit or conduct information or communication, shrough cross-manufacturer, non-proprietary, industry-standard coder protocols, formats or other information necessary to provide the infor communication in a usable format. Technologies which use encoding compression, format transformation, or similar techniques shall not reinformation needed for access or shall restore it upon delivery. (k)(1) Products which have mechanically operated controls or keys st
00		(i) Where a telecommunications product delivers output by an audio which is normally held up to the ear, a means for effective magnetic v to hearing technologies shall be provided. (i) Interference to hearing technologies (including hearing aids, cochl and assistive listening devices) shall be reduced to the lowest possible allows a user of hearing technologies to utilize the telecommunication (j) Products that transmit or conduct information or communication (j) Products that transmit or conduct information provide the infor communication in a usable format. Technologies which use encoding compression, format transformation, or similar techniques shall not reinformation needed for access or shall restore it upon delivery.
cations ne ne nall noctions lays. e a gain ast one ast one lume, a evel after lucer uccer ss coupling ss coupling plants, that luct. ass slation 1 or	plants, that luct. lass slation	(i) Where a telecommunications product delivers output by an audio which is normally held up to the ear, a means for effective magnetic v to hearing technologies shall be provided. (i) Interference to hearing technologies (including hearing aids, cochl and assistive listening devices) shall be reduced to the lowest possible and assistive listening devices) shall be reduced to the elecommunication. (j) Products that transmit or conduct information or communication, (j) Products that transmit or conduct information provide the informough cross-manufacturer, non-proprietary, industry-standard codes protocols, formats or other information necessary to provide the infor communication in a usable format. Technologies which use encoding compression, format transformation, or similar techniques shall not re-
ations ations citions ays. a gain ast one ame, a wel after coupling lants, hat	lants. hat ict. ss ation or	(h) Where a telecommunications product delivers output by an audio which is normally held up to the ear, a means for effective magnetic v to hearing technologies shall be provided. (i) Interference to hearing technologies (including hearing aids, cochl and assistive listening devices) shall be reduced to the lowest possible allows a user of hearing technologies to utilize the telecommunication; (j) Products that transmit or conduct information or communication, through cross-manufacturer, non-proprietary, industry-standard codes protocols, formats or other information necessary to provide the inforcommunication in a usable format. Technologies which use encoding
ations all all all again st one are, a wel after ccer ccer ccer ccupling hat hat hat cc. ss	hat hat lct.	(h) Where the communications product delivers output by an audio which is normally held up to the ear, a means for effective magnetic volumering technologies shall be provided. (i) Interference to hearing technologies (including hearing aids, cochi and assistive listening devices) shall be reduced to the lowest possible allows a user of hearing technologies to utilize the telecommunication (j) Products that transmit or conduct information or communication, shrough cross-manufacturer, non-proprietary, industry-standard codes protocols, formats or other information necessary to provide the informations.
ons ions gain one e.e. a after r r oupling on	nts,	(h) Where the telecommunications product delivers output by an audio which is normally held up to the ear, a means for effective magnetic volumering technologies shall be provided. (i) Interference to hearing technologies (including hearing aids, cochl and assistive listening devices) shall be reduced to the lowest possible allows a user of hearing technologies to utilize the telecommunication (j) Products that transmit or conduct information or communication, a construction of the construction of th
s s s s s s s s s s s s s s s s s s s		(h) Where the telecommunications product delivers output by an audio which is normally held up to the ear, a means for effective magnetic v to hearing technologies shall be provided. (i) Interference to hearing technologies (including hearing aids, cochl and assistive listening devices) shall be reduced to the lowest possible allows a user of hearing technologies to utilize the telecommunication.
ions ions s. gain one te, a te after oupling oupling	nts, t	(h) Where a telecommunications product delivers output by an audio which is normally held up to the ear, a means for effective magnetic v to hearing technologies shall be provided. (i) Interference to hearing technologies (including hearing aids, cochl and assistive listening devices) shall be reduced to the lowest possible allows a user of hearing technologies to utilize the telecommunication
ons one e. a after r ruppling oupling	ıts.	(h) Where a telecommunications product delivers output by an audio which is normally held up to the ear, a means for effective magnetic v to hearing technologies shall be provided. (i) Interference to hearing technologies (including hearing aids, cochl and assistive listening devices) shall be reduced to the lowest possible
ons ons one e. a after r upling	ts.	(h) Where a telecommunications product delivers output by an audio which is normally held up to the ear, a means for effective magnetic v to hearing technologies shall be provided. (i) Interference to hearing technologies (including hearing aids, cochl
s s s		(h) Where telecommunications product delivers output by an audio which is normally held up to the ear, a means for effective magnetic to hearing technologies shall be provided.
h their TTYs. I. and interactive voice response a response from a user within a time interval is about to run out, and shall cate more time is required. Ind similar telecommunications functions and for users who cannot see displays. Incremental volume control, at least one provided. In a user to adjust the receive volume, a yreset the volume to the default level after delivers output by an audio transducer ans for effective magnetic wireless coupling		(h) Where a telecommunications product delivers output by an audio which is normally held up to the ear, a means for effective magnetic v
	tic wireless coupling	(h) Where a telecommunications product delivers output by an audio
ns ons ain ain one	idio transducer	בירני מצב.
		DVPTV IICO
	e default level after	function shall be provided to automatically reset the volume to the de
		(g) If the telecommunications product allows a user to adjust the rece
		intermediate step of 12 dB of gain shall be provided.
	ontrol, at least one	adjustable up to a minimum of 20 dB. For incremental volume control
ns ns		(t) For transmitted voice signals, telecommunications products shall r
ns ns		shall also be available for users of TTYs, and for users who cannot se
sponse telecommunications live voice response om a user within a time out to run out, and shall ne is required.	Suc	(e) Where provided, caller identification and similar telecommunicati
sponse telecommunications live voice response om a user within a time out to run out, and shall		provide sufficient time for the user to indicate more time is required.
sponse telecommunications tive voice response on a user within a time	out, and shall	interval, shall give an alert when the time interval is about to run out,
sponse telecommunications tive voice response	within a time	telecommunications systems that require a response from a user with
sponse telecommunications		(d) Voice mail, messaging, auto-attendant, and interactive voice response
uto-attendant, and interactive voice response telecommunications	4300	systems shall be usable by TTY users with their TTYs.
		(c) Voice mail, auto-attendant, and interactive voice response telecon
	Not applicable.	signal protocols.
shall support all commonly used cross-manufacturer non-proprietary standard TTY	tary standard TTY	shall support all commonly used cross-manufacturer non-proprietary
		(b) Telecommunications products which include voice communication
capable of being turned on and off to allow the user to intermix speech with TTY use. Not applicable.		capable of being turned on and off to allow the user to intermix speec
provide a standard non-acoustic connection point for TTYs. Microphones shall be	ophones shall be	provide a standard non-acoustic connection point for TTYs. Microph
tion and which do not themselves provide a TTY functionality shall	ctionality shall	communication and which do not themselves provide a TTY functionality shall
		(a) Telecommunications products or systems which provide a function
Criteria Compliant? (Yes / No.) Exceptions to Standard	Compliant? (Yes / No)	Criteria
Accessibility Compliance Evaluation Template	Accessibility Compliance Evaluation Template	
Telecommunications Products	Telecommunications Products	

Access	Video and Multi-Media Products Accessibility Compliance Evaluation Template	oducts
Criteria	Compliant? (Yes/No)	Exceptions to Standard
a) All analog television displays 13 inches and larger, and computer equipment that Not applicable includes analog television receiver or display circuitry, shall be equipped with	Not applicable.	
caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals. As soon as practicable,		
but not later than July 1, 2002, widescreen digital television (DTV) displays		
measuring at least 7.8 inches vertically, DTV sets with conventional displays		
measuring at least 13 inches vertically, and stand-alone DTV tuners, whether or not		
they are marketed with display screens, and computer equipment that includes DTV		
receiver or display circuitry, shall be equipped with caption decoder circuitry which		
appropriately receives, decodes, and displays closed captions from broadcast, cable,		
(b) Television tuners, including tuner cards for use in computers, shall be equipped Not applicable.	Not applicable.	
with secondary audio program playback circuitry.		
(c) All training and informational video and multimedia productions which support Not applicable	Not applicable.	
the agency's mission, regardless of format, that contain speech or other audio		
information necessary for the comprehension of the content, shall be open or closed		
(d) All training and informational video and multimedia productions which support Not applicable	Not applicable.	
the agency's mission, regardless of format, that contain visual information necessary		
for the comprehension of the content, shall be audio described.		
(e) Display or presentation of alternate text presentation or audio descriptions shall	Not applicable.	
he licer-celectable impless permanent		

Accessfully Compliance Closed Products Accessfully Compliance Reduction Republic Control of Compliance (Vest No.) Accessfully Compliance Reduction Republic Control of Compliance (Vest No.) O Where a forder control of a stable by people with disabilities without requiring an ord-sector to attack Assistive Technology, to the product. Personal leaders for private licitating zero of Assistive Technology, and the Control of Con	Self-Contained, Closed Products compliant? (Yes / No) Not applicable.			controls shall not be more than 24 inches behind the reference plane.
Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.	Self-Contained, Closed Products compliant? (Yes / No) Not applicable.			location and which have operable controls shall comply with the following: Operable
Self-Contained, Closed Products exsibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable.	Self-Contained, Closed Products Compliant? (Yes / No) Not applicable.		Not applicable.	(j)(4) Products which are freestanding, non-portable, and intended to be used in one
Self-Contained, Closed Products exsibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.	Self-Contained, Closed Products Compliant? (Yes / No)			reference plane, the height shall be 46 inches maximum and 15 inches minimum
Self-Contained, Closed Products exsibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable.	Self-Contained, Closed Products (Compliance Evaluation Template (Compliant? (Yes / No) Not applicable.			any operable control is more than 10 inches and not more than 24 inches behind the
Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.	Self-Contained, Closed Products Compliance Evaluation Template Compliant? (Yes / No) Not applicable.			location and which have operable controls shall comply with the following: Where
Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.	Self-Contained, Closed Products exsibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.		Not applicable.	(j)(3) Products which are freestanding, non-portable, and intended to be used in one
Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.	Self-Contained, Closed Products exsibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.			be 54 inches maximum and 15 inches minimum above the floor.
Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.	Self-Contained, Closed Products compliance Evaluation Template Compliant? (Yes / No) Not applicable.			any operable control is 10 inches or less behind the reference plane, the height shall
Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable.	Self-Contained, Closed Products compliant? (Yes / No) Not applicable.			location and which have operable controls shall comply with the following: Where
Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable.	Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.		Not applicable.	(j)(2) Products which are freestanding, non-portable, and intended to be used in one
Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable.	Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.			freestanding, non-portable, and intended to be used in one location and which have
Self-Contained, Closed Products exsibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable.	Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.			protrusion of the product within the 48 inch length on products which are
Self-Contained, Closed Products exsibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable.	Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.			which is 48 inches in length, centered on the operable control, and at the maximum
Self-Contained, Closed Products exsibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable.	Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.			position of any operable control shall be determined with respect to a vertical plane,
Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable.	Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.		Not applicable.	location and which have operable controls shall comply with the following: The
Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable.	Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.			greater than 2 riz and lower man 33 Hz.
Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.	Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.		Not applicable.	(i) Products shall be designed to avoid causing the screen to flicker with a frequency
Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable.	Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.			color selections capable of producing a variety of contrast levels shall be provided.
Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable.	Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.		Not applicable.	(h) When a product permits a user to adjust color and contrast settings, a range of
Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable.	Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.			indicating an action, prompting a response, or distinguishing a visual element.
Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable.	Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.		Not applicable.	(g) Color coding shall not be used as the only means of conveying information,
Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable.	Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.			automatically reset the volume to the default level after every use.
Self-Contained, Closed Products essibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.	Self-Contained, Closed Products ssibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.			dB above the ambient level shall be user selectable. A function shall be provided to
Self-Contained, Closed Products ssibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.	Self-Contained, Closed Products Sibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.			ambient noise level of the environment is above 45 dB, a volume gain of at least 20
Criteria Criteria Criteria Compliance Evaluation Template Not applicable.	Criteria Criteria Criteria Criteria Criteria Accessibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable. Not applicable.			shall be provided with output amplification up to a level of at least 65 dB. Where the
Criteria Criteria Criteria Criteria Compliance Evaluation Template Not applicable.	Criteria Criteria Criteria Criteria Criteria Criteria Accessibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.		Not applicable.	(f) When products deliver voice output in a public area, incremental volume control
Self-Contained, Closed Products ssibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.	Self-Contained, Closed Products ssibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.			the audio at anytime.
Self-Contained, Closed Products Accessibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.	Self-Contained, Closed Products Accessibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.			private listening. The product must provide the ability to interrupt, pause, and restart
Self-Contained, Closed Products cessibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.	Self-Contained, Closed Products cessibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.		;	standard signal level through an industry standard connector that will allow for
Self-Contained, Closed Products assibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable. Not applicable. Not applicable. Not applicable.	Self-Contained, Closed Products ssibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable. Not applicable. Not applicable. Not applicable.		Not applicable.	(e) When products provide auditory output, the audio signal shall be provided at a
Self-Contained, Closed Products assibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable. Not applicable. Not applicable. Not applicable.	Self-Contained, Closed Products ssibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable. Not applicable. Not applicable. Not applicable.			particular biological characteristics, shall also be provided.
Self-Contained, Closed Products ssibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable. Not applicable. Not applicable. Not applicable.	Self-Contained, Closed Products sssibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable. Not applicable. Not applicable. Not applicable.		;	form of identification or activation, which does not require the user to possess
Self-Contained, Closed Products ssibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable. Not applicable. Not applicable.	Self-Contained, Closed Products sssibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable. Not applicable. Not applicable.		Not applicable.	(d) When biometric forms of user identification or control are used, an alternative
Self-Contained, Closed Products ssibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable. Not applicable.	Self-Contained, Closed Products sessibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable. Not applicable. Not applicable.			method shall be provided that complies with §1194.23 (k) (1) through (4).
Self-Contained, Closed Products ssibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable. Not applicable.	Self-Contained, Closed Products assibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable. Not applicable.		Not applicable.	(c) Where a product utilizes touchscreens or contact-sensitive controls, an input
Self-Contained, Closed Products ssibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.	Self-Contained, Closed Products sssibility Compliance Evaluation Template Compliant? (Yes/No) Not applicable.			time to indicate more time is required.
Self-Contained, Closed Products Accessibility Compliance Evaluation Template Compliant? (Yes / No) lisabilities without product. Personal Not applicable.	Self-Contained, Closed Products Accessibility Compliance Evaluation Template Compliant? (Yes / No) Isabilities without Not applicable. product. Personal		Not applicable.	(b) When a timed response is required, the user shall be alerted and given sufficient
Self-Contained, Closed Products Accessibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.	Self-Contained, Closed Products Accessibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.			headsets for private listening are not Assistive Technology.
Self-Contained, Closed Products Accessibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.	Self-Contained, Closed Products Accessibility Compliance Evaluation Template Compliant? (Yes / No) Not applicable.			requiring an end-user to attach Assistive Technology to the product. Personal
			Not applicable.	(a) Self contained products shall be usable by people with disabilities without
Self-Contained, Closed Products Accessibility Compliance Evaluation Template	Self-Contained, Closed Products Accessibility Compliance Evaluation Template		Compliant? (Yes / No)	Criteria
Self-Contained, Closed Products	Self-Contained, Closed Products	ation Template	sibility Compliance Evalua	Acce
		Products	Self-Contained, Closed P	

Acces	Desktop and Portable Computers Accessibility Compliance Evaluation Template	nputers tion Template
Criteria	Compliant? (Yes / No)	Exceptions to Standard
(a) All mechanically operated controls and keys shall comply with §1194.23 (k) (1)		
through (4).	Not applicable.	
(b) If a product utilizes touchscreens or touch-operated controls, an input method		
shall be provided that complies with §1194.23 (k) (1) through (4).	Not applicable.	
(c) When biometric forms of user identification or control are used, an alternative		
form of identification or activation, which does not require the user to possess		
particular biological characteristics, shall also be provided.	Not applicable.	
(d) Where provided, at least one of each type of expansion slots, ports and		
connectors shall comply with publicly available industry standards	Not applicable.	

	Accessionity Compilative Evaluation Template	ation I chipiage
Criteria	Compliant? (Yes / No)	Exceptions to Standard
(a) At least one mode of operation and information retrieval that does not require	Yes	All text content pages can be read with assistive technologies
who are blind or visually impaired shall be provided.		
(b) At least one mode of operation and information retrieval that does not require	Yes	All text fonts are adustable by the end user, and all text content can be read with assistive
visual acuity greater than 20/70 shall be provided in audio and enlarged print output		technologies.
working together or independently, or support for Assistive Technology used by		
people who are visually impaired shall be provided.		
(c) At least one mode of operation and information retrieval that does not require No	No	Not all of our videos have text transcripts, but most of them do.
user hearing shall be provided, or support for Assistive Technology used by people		
who are deaf or hard of hearing shall be provided		
(d) Where audio information is important for the use of a product, at least one mode Yes	les es	All of our audio and video content are auxilliary in nature, as the main content is textual.
of operation and information retrieval shall be provided in an enhanced auditory		
fashion, or support for assistive hearing devices shall be provided.		
(e) At least one mode of operation and information retrieval that does not require	Yes	User speech is not needed to use this product
user speech shall be provided, or support for Assistive Technology used by people		
with disabilities shall be provided.		
(f) At least one mode of operation and information retrieval that does not require Ye	Yes	Only normal computer operational skills are needed to use this product.
fine motor control or simultaneous actions and that is operable with limited reach		
and attached to the second of		

Informa Acces	Information, Documentation, and Support Criteria Accessibility Compliance Evaluation Template	ipport Criteria
Criteria	Compliant? (Yes / No)	Exceptions to Standard
(a) Product support documentation provided to end-users shall be made available in Yes	Yes	
alternate formats upon request, at no additional charge.		
(b) End-users shall have access to a description of the accessibility and	Yes	
compatibility features of products in alternate formats or alternate methods upon		
request, at no additional charge.		
(c) Support services for products shall accommodate the communication needs of Yes	Yes	
end-users with disabilities.		