

**Accessible Informational Material & Technology Adoption/Procurement Checklist**

**Requestor** April Insco

**Department/Unit** Health Sciences **AIMT Reviewer**

**Product Name** EHRGo

**Product Version** ( version #)

**Product Vendor** Archetype Innovations, LLC

**Vendor Contact** Amy Day

**Vendor Contact Email** [amy.day@archetypeinnovations.net](mailto:amy.day@archetypeinnovations.net)

**Vendor Contact Phone** 612-928-6572

**IMT Users** Students

**IMT Usage** It will be used in the HIMT Courses

**Cost** \$155 per 18 month subscription - Student pays the cost

**Step 1 Gather Information for Review**

Initial all appropriate boxes or N/A
--------------------------------------

**Standards Conformance**

Attached Accessibility Statement, Conformance and Remediation Forms and Vendor Documentation

Technical standards used (in order of priority)

- Web Content Accessibility Guidelines 2.0 A & AA
- EPUB3 Accessibility Guidelines
- Section 508 & VPAT

AI
AI
AI
AI

**Market Analysis for Standards Conformance**

- All products that meet the applicable requirements are conformant
- One product meets more applicable requirements than the others (attach supporting analysis)
- Product previously purchased and may be conformant (e.g., LMS contract)
- Only one product meets applicable requirements (e.g., sole source)(attach justification)

AI
AI
AI
AI

**General Exemptions to Conformance Guidelines**

**Only Administrative Executive can authorize an exemption**

No accessible alternative IMT (Must have Alternative Access Plan)

N/A
-----

**Note:** For an AIMT adoption/procurement to be authorized, it must have a completed checklist.

**Requestor** April Insco **Date** 2/3/2021

Signature required to certify accuracy and completeness of the checklist and conformance.

**Step 2 Review by Department Accessibility Liaison**

Initial all appropriate boxes or N/A
MGW/ZC
N/A

**Accessibility Review Document Completed**

Attached Alternative Access Plan if needed

**AIMT Reviewer** *Matthew Ward* **Date** 02/16/21

Accessibility Liaison Sign here only when ready to forward to step 3

**Step 3 Adoption or Procurement**

Initial all appropriate boxes or N/A
(Initials & Date)
(Initials & Date)
(Initials & Date)

**Adoption Completed**

**Buyer AIMT Procurement Checklist Completed**

**All documentation filed with department liaison and Purchasing (if applicable)**

Accessibility Liaison

**Final Signature** *Oranie Ward* **Date** 3/5/2021

Appropriate Vice President Approval

\* applicable requirements are essential/preferred functionality

# Accessibility Conformance and Remediation Form

## Instructions

This form serves as means for auditors and vendors to document accessibility gaps associated with AIMT products and to indicate plans for addressing these gaps in the future.

We ask that you complete the **form** provided on the next page as follows:

1. **Product/Vendor Information:** Provide the information requested
2. **Issue Description:** List each major accessibility issue for the product Including the following:
  - Gaps identified from the WCAG 2.0 A & AA guidelines, Voluntary Product Accessibility Template (VPAT) and EPUB3 Accessibility Guidelines (if applicable)
  - Gaps identified in other product support documentation
  - Gaps identified by a third-party accessibility evaluation report (if available)
3. **Current Status:** Enter one of the following values:
  - Open: The issue has not yet been resolved
  - Closed: The issue has already been resolved
  - I/P: The issue is currently under investigation
  - Other
4. **Disposition:** Enter one of the following values:
  - Planned: The issue will be resolved
  - Deferred: The issue will not be resolved
  - I/P: The issue is currently under investigation
  - Other
5. **Remediation Timeline:** Enter when you anticipate that the issue will be resolved
6. **Available Workarounds (for vendor only):** Describe the business processes vendor will offer or third-party products that should be considered to work around the issue until full remediation.
7. **Comments (optional):** Provide details/description regarding the issue
8. **Additional Information (optional):** Provide any additional discussion regarding accessibility plans

## Vendor/Product Information

Vendor Name	Archetype Innovations, LLC
Product Name	EHR Go
Product Version	
Completion Date	2/2/2021
Contact Name/Title	Amy Day
Contact Email/Phone	<a href="mailto:Amy.day@archetypeinnovations.net">Amy.day@archetypeinnovations.net</a>

## Specific Issues

Issue Description	Current Status (Open, Closed, I/P)	Disposition (Planned, Deferred, I/P)	Remediation Timeline	Available Workarounds	Comments
Example: Images on the landing page lack equivalent alternate text	Open	Planned	Q3, 2015 release (v1.2)		Functional images will receive descriptive alternate text; decorative images will receive null alternate text.
No Major issues needing remediation					

## Additional Information:

Accessibility Rubric			Support Links	Real-world explanation (Note: Keep this simple and concrete, practical. Good faith as baseline. Recommendation on how to be "totally safe".)	Common example	
Tennessee House Bill 1857 (Senate Bill 1692) established the need for minimum						
<b>Perceivable:</b> Content is made available to the senses - sight, hearing, and/or touch.						
<b>Guideline 1.1 Text Alternatives: Provide text alternatives for any</b>			<a href="#">WebAIM Alternate Text</a>			
The Text Alternative section relates to images, form image buttons, image maps,			<a href="#">WCAG Understanding Guideline 1.1</a>			
N/A	Pass	Fail	<b>1.1.1 - All images, form image buttons, and image map hot spots have appropriate, equivalent alternative text.</b>	<a href="#">WCAG 1.1.1 Non-text Content</a>	Always use alt attributes on images. Use 125 characters or less. Do not introduce the text as "This is an image of" or the like.	
N/A	Pass	Fail	<b>1.1.1 - Images that do not convey content, are decorative, or contain content that is already conveyed in text are given null alt text (alt="") or implemented as CSS backgrounds. All linked images have descriptive alternative text.</b>		Always use alt attributes on images. If the image is not important to the content, use alt="".	
N/A	Pass	Fail	<b>1.1.1 - Equivalent alternatives to complex images are provided in context or on a separate (linked and/or referenced via longdesc) page.</b>		If the image is very complicated, directly below the image, have a paragraph of text explaining the image. If there's too much text, or if the purpose of the image is to analyze it, and the text may defeat that, add a link to a secondary page.	A painting from an art appreciation class could require a paragraph or more to explain the complexity. For sighted users, the paragraph may be the equivalent of cheating, so a link to a second page may be needed.
N/A	Pass	Fail	<b>1.1.1 - Form buttons have a descriptive value.</b>		A button's text should describe its action.	Search button should say "search".
N/A	Pass	Fail	<b>1.1.1 - Form inputs have associated text labels or, if labels cannot be used, a descriptive title attribute.</b>		For every input field (ie. text field, checkbox, etc.), there should be a matching label tag.	There is a checkbox next to text of "Please contact me with more information". The text is wrapped in a label tag, linked to the checkbox's id attribute.
N/A	Pass	Fail	<b>1.1.1 - Embedded multimedia is identified via accessible text.</b>		Embedded multimedia should be introduced with headings or text.	A group of YouTube videos is introduced by a heading or text.
N/A	Pass	Fail	<b>1.1.1 - Frames are appropriately titled.</b>		All iframe tags should have a title attribute.	A YouTube video embed code uses an iframe, which needs a title attribute added. <iframe title="Class Field Trip 2016">
<b>Guideline 1.2 Timed-based Media: Provide alternatives for time-based media</b>			<a href="#">WebAIM Captions, Transcripts, and Audio Descriptions</a>			
The Time-based Media section relates to audio files, video files, links to audio files,			<a href="#">WCAG Understanding Guideline 1.2</a>			

N/A	Pass	Fail	1.2.1 - Prerecorded Audio-only and Video-only (Level A) - A descriptive text transcript (including all relevant visual and auditory clues and indicators) is provided for non-live, web-based audio (audio podcasts, MP3 files, etc.).	<a href="#">WCAG 1.2.1 Prerecorded Audio-only and Video-only</a>	Podcasts and audio need transcripts, including indications of laughter and notes when another person is speaking.	An audio recording of a chemistry lecture has a full text transcript noting the sound of a breaking beaker.
N/A	Pass	Fail	1.2.1 - Prerecorded Audio-only and Video-only (Level A) - A text or audio description is provided for non-live, web-based video-only (e.g., video that has no audio track).		For video media without audio, a full text description is needed.	An animation of the heart beating has text describing the flow of blood through the heart.
N/A	Pass	Fail	1.2.2 - Captions (Prerecorded) (Level A) - Synchronized captions are provided for non-live, web-based video (YouTube videos, etc.)	<a href="#">WCAG 1.2.2 Captions (Prerecorded)</a>	All speech in prerecorded video is captioned.	A campus tour video has captions of all that the narrator says as he says it.
N/A	Pass	Fail	1.2.3 Audio Description or Media Alternative (Prerecorded) (Level AA) - A descriptive text transcript OR audio description audio track is provided for non-live, web-based video	<a href="#">WCAG 1.2.3 Audio Description or Media Alternative (Prerecorded)</a>	A secondary caption track has speech captioning along with notes about sound cues. If this cannot be included in the video, the transcript is available as a link from the page.	During a baseball video, the narrator is being captioned, and all the individual sounds from the baseball field are also noted, such as "bat loudly hits a ball".
N/A	Pass	Fail	1.2.4 Captions (Live) (Level AA) - Synchronized captions are provided for all live multimedia that contains audio (audio-only broadcasts, web casts, video conferences, Flash animations, etc.)	<a href="#">WCAG 1.2.4 Captions (Live)</a>	For live content, there has to be live captioning.	During commencement, there is live captioning on the stream.
N/A	Pass	Fail	1.2.5 Audio Description (Prerecorded) (Level AA) - Audio descriptions are provided for all video content NOTE: Only required if the video conveys content visually that is not available in the default audio track	<a href="#">WCAG 1.2.5 Audio Description (Prerecorded)</a>	Audio descriptions are needed for things a visually impaired individual can't see.	In a video, an audio track identifies when an instructor gestures to identify something on a board.
			<b>Guideline 1.3 Adaptable: Create content that can be presented in</b>			
			The Adaptable section relates to web pages and how HTML code should be written.	<a href="#">WCAG Understanding Guideline 1.3</a>		
N/A	Pass	Fail	1.3.1 Info and Relationships (Level A) - Semantic markup is used to designate headings (<h1>), lists (<ul>, <ol>, and <dl>), emphasized or special text (<strong>, <code>, <abbr>, <blockquote>, for example), etc. Semantic markup is used appropriately.	<a href="#">WebAIM Semantic markup</a>	Use heading tags and organizational tags, like ordered or unordered lists. A long page of text is broken into chunks using headings so that the user may skip entire sections. Do not use text size or bolding to create headings.	A long page of text is broken into chunks using headings so that the user may skip entire sections.
N/A	Pass	Fail	1.3.1 Info and Relationships (Level A) - Tables are used for tabular data. Where necessary, data cells are associated with their headers. Data table captions and summaries are used where appropriate.	<a href="#">WebAIM Tables</a>	Tables are only for data; never use tables to format a page to look prettier or create columns. All tables should have column headers that are tagged correctly with the TH tag, not simply bolded. If your data is too complex for a table with a single header row, seek a different way to present your data.	xxx
N/A	Pass	Fail	1.3.1 Info and Relationships (Level A) - Text labels are associated with form input elements. Related form elements are grouped with fieldset/legend.		Advanced	

N/A	Pass	Fail	1.3.2 Meaningful Sequence (Level A) - The reading and navigation order (determined by code order) is logical and intuitive.	<a href="#">WebAIM reading and navigation order</a>	Advanced	
N/A	Pass	Fail	1.3.3 Sensory Characteristics (Level A) - Instructions do not rely upon shape, size, or visual location (e.g., "Click the square icon to continue" or "Instructions are in the right-hand column").	<a href="#">WCAG 1.3.3 Sensory Characteristics</a>	Never reference another element on the page by shape, size, location or color.	Never say, "Click Raidernet at the top of the page." Instead provide link to Raidernet.
N/A	Pass	Fail	1.3.3 Sensory Characteristics (Level A) - Instructions do not rely upon sound (e.g., "A beeping sound indicates you may continue.").		Do not use sounds for instructions.	Do not use "a beeping sound means you can continue" or "you will hear a gong if this is wrong."
			<b>Guideline 1.4 Distinguishable: Make it easier for users to see and</b> The Distinguishable section relates to web page design including the use of color, images, font size, and media controls. The use of color can enhance comprehension, but do not use color alone to convey information. That information may not be available to a person who is colorblind and will be unavailable to screen reader users. Text should have relative sizing for magnification of the page, no absolute values (i.e. 18pt).	<a href="#">WCAG Understanding Guideline 1.4</a>		
N/A	Pass	Fail	1.4.1 Use of Color (Level A) - Color is not used as the sole method of conveying content or distinguishing visual elements.	<a href="#">WCAG 1.4.1 Use of Color</a>	Don't use color alone to identify importance.	On a map, don't just say "Follow the red route."
N/A	Pass	Fail	1.4.1 Use of Color (Level A) - Color alone is not used to distinguish links from surrounding text unless the luminance contrast between the link and the surrounding text is at least 3:1 and an additional differentiation (e.g., it becomes underlined) is provided when the link is hovered over or receives focus.		Links may not represented by color alone. Links appear underlined. Do not underline text if it is not a link.	In a sentence, the link to "Financial Aid Forms" is underlined.
N/A	Pass	Fail	1.4.2 Audio Control (Level A) - A mechanism is provided to stop, pause, mute, or adjust volume for audio that automatically plays on a page for more than 3 seconds.	<a href="#">WCAG 1.4.2 Audio Control</a>	Do not autoplay audio or video content unless it is the only content on the page.	A Financial Aid video on a page does not start playing until a user clicks play.
N/A	Pass	Fail	1.4.3 Contrast (Minimum) (Level AA) - Text and images of text have a contrast ratio of at least 4.5:1.	<a href="#">WCAG 1.4.3 Contrast (Minimum)</a>	Text should strongly contrast with whatever is behind it.	Black text, white background.
N/A	Pass	Fail	1.4.3 Contrast (Minimum) (Level AA) - Large text (over 18 point or 14 point bold) has a contrast ratio of at least 3:1		Text should strongly contrast with whatever is behind it. For larger text, it can be closer to the background color.	Large gray text, white background.
N/A	Pass	Fail	1.4.4 Resize Text (Level AA) - The page is readable and functional when the text size is doubled.	<a href="#">WCAG 1.4.4 Resize text</a>	Test resizing the text on the page. If parts of the text hide behind elements or is pushed off the page, the page must be fixed.	As text size is increased, floating items move, and text wraps correctly.
N/A	Pass	Fail	1.4.5 Images of Text (Level AA) - If the same visual presentation can be made using text alone, an image is not used to present that text.	<a href="#">WCAG 1.4.5 Images of Text</a>	Never make images of text, even if it looks prettier. Leave text as text. Logos are an allowed exception.	xxx
			<b>Operable:</b> Interface forms, controls, and navigation are operable.			
			<b>Guideline 2.1 Keyboard Accessible: Make all functionality</b> The Keyboard Accessible section relates to the users ability to perform all tasks	<a href="#">WCAG Understanding Guideline 2.1</a>		

N/A	Pass	Fail	<b>2.1.1 Keyboard (Level A) - All page functionality is available using the keyboard, unless the functionality cannot be accomplished in any known way using a keyboard (e.g., free hand drawing).</b>	<a href="#">WCAG 2.1.1 Keyboard</a>	Be sure you can navigate the page using keyboard only.	User can navigate to all links using keyboard tab function and follow links using enter function.	
N/A	Pass	Fail	<b>2.1.1 Keyboard (Level A) - Page-specified shortcut keys and accesskeys (accesskey should typically be avoided) do not conflict with existing browser and screen reader shortcuts.</b>		Advanced		
N/A	Pass	Fail	<b>2.1.2 No Keyboard Trap (Level A) - Keyboard focus is never locked or trapped at one particular page element. The user can navigate to and from all navigable page elements using only a keyboard.</b>	<a href="#">WCAG 2.1.2 No Keyboard Trap</a>	Be sure you can navigate the page using keyboard only.	User can navigate to all links using keyboard tab function and follow links using enter function.	
			<b>Guideline 2.2 Enough Time: Provide users enough time to read</b>				
			The Enough Time section relates to time limits and the ability to pause or stop media	<a href="#">WCAG Understanding Guideline 2.2</a>			
N/A	Pass	Fail	<b>2.2.1 Timing Adjustable (Level A) - If a page or application has a time limit, the user is given options to turn off, adjust, or extend that time limit. This is not a requirement for real-time events (e.g., an auction), where the time limit is absolutely required, or if the time limit is longer than 20 hours.</b>	<a href="#">WCAG 2.2.1 Timing Adjustable</a>	When using automatic logout timers, be sure user can opt to remain on page.	Automatic logouts should warn user and allow opportunity to extend session.	
N/A	Pass	Fail	<b>2.2.2 Pause, Stop, Hide (Level A) - Automatically moving, blinking, or scrolling content that lasts longer than 5 seconds can be paused, stopped, or hidden by the user. Moving, blinking, or scrolling can be used to draw attention to or highlight content as long as it lasts less than 5 seconds.</b>	<a href="#">WCAG 2.2.2 Pause, Stop, Hide</a>	Use moving, scrolling, blinking content sparingly and allow user to stop content from doing so.	News items are listed on the page and do not move. User should be able to control advance of carousel content.	
N/A	Pass	Fail	<b>2.2.2 Pause, Stop, Hide (Level A) - Automatically updating content (e.g., automatically redirecting or refreshing a page, a news ticker, AJAX updated field, a notification alert, etc.) can be paused, stopped, or hidden by the user or the user can manually control the timing of the updates.</b>		Advanced		
			<b>Guideline 2.3 Seizures: Do not design content in a way that is</b>				
			The Seizures section relates to the flashing of page content. JUST Don't Do It.	<a href="#">WCAG Understanding Guideline 2.3</a>			
N/A	Pass	Fail	<b>2.3.1 Three Flashes or Below Threshold (Level A) - No page content flashes more than 3 times per second unless that flashing content is sufficiently small and the flashes are of low contrast and do not contain too much red.</b>	<a href="#">WebAIM Seizure Disorders</a>	Do not use flashing items on the page.	The page doesn't flash.	
			<b>Guideline 2.4 Navigable: Provide ways to help users navigate, find</b>				
			The Navigable section relates to web page elements. Navigation is logical, pages	<a href="#">WCAG Understanding Guideline 2.4</a>			

N/A	Pass	Fail	<b>2.4.1 Bypass Blocks (Level A) - A link is provided to skip navigation and other page elements that are repeated across web pages.</b>	<a href="#">WCAG 2.4.1 Bypass Blocks</a>	A link at the top of the page links to the page content, bypassing the navigation and contact information that is at the top of the page. This can be hidden from view but accessible to screen reader.	Roane State homepage contains a hidden "skip to content" link that appears upon tab press.
N/A	Pass	Fail	<b>2.4.1 Bypass Blocks (Level A) - If a page has a proper heading structure, this may be considered a sufficient technique instead of a "Skip to main content" link. Note that navigating by headings is not yet supported in all browsers.</b>		If headings are correctly used, a screen reader can opt to jump to the first subheading. If so, a link to "Page Content" at the beginning of the page isn't needed.	The screenreader can jump to Heading 1
N/A	Pass	Fail	<b>2.4.1 Bypass Blocks (Level A) - If a page uses frames and the frames are appropriately titled, this is a sufficient technique for bypassing individual frames.</b>		Frames should have descriptive title attributes so that frame can be skipped by screen reader if necessary.	A frame containing menu items for a page should say "Menu items"
N/A	Pass	Fail	<b>2.4.2 Page Titled (Level A) - The web page has a descriptive and informative page title.</b>	<a href="#">WCAG 2.4.2 Page Titled</a>	Title the page.	"Lesson 45 - MATH1010 - Roane State." Do not leave title as "Untitled", "Page", "Roane State", etc.
N/A	Pass	Fail	<b>2.4.3 Focus Order (Level A) - The navigation order of links, form elements, etc. is logical and intuitive.</b>	<a href="#">WCAG 2.4.3 Focus Order</a>	Put links in either alphabetical or chronological order. Do not just put new items at the top or bottom.	Alphabetical: Admissions, Contact Us, Forms, Underwriters.
N/A	Pass	Fail	<b>2.4.4 Link Purpose (In Context) (Level A) - The purpose of each link (or form image button or image map hotspot) can be determined from the link text alone, or from the link text and it's context (e.g., surrounding paragraph, list item, table cell, or table headers).</b>	<a href="#">WCAG 2.4.4 Link Purpose (In Context)</a>	The text of the link should be a description of where it goes in human language. Do not use "click here" as a link. Avoid unnecessary display of actual URL when possible.	Proper use example: "If you would like to find out more, please see the Library of Congress' website." In this example "Library of Congress' website" would be the link is to "http://www.loc.gov". Do not use "click here". Do not use "For more information, please see http://ww.loc.gov."
N/A	Pass	Fail	<b>2.4.4 Link Purpose (In Context) (Level A) - Links (or form image buttons) with the same text that go to different locations are readily distinguishable.</b>		The text of the link should be unique on the page unless the link desintations are the same.	A page has a link to "Form 3" and another link to "Form 48". There are not two links named "Form".
N/A	Pass	Fail	<b>2.4.5 Multiple Ways (Level AA) - Multiple ways are available to find other web pages on the site - at least two of: a list of related pages, table of contents, site map, site search, or list of all available web pages.</b>	<a href="#">WCAG 2.4.5 Multiple Ways</a>	In addition to main navigation, every page should be found using an alternate method, such as search or site map.	The counseling webpage is found by standard navigation as well as the site map.
N/A	Pass	Fail	<b>2.4.6 Headings and Labels (Level AA) - Page headings and labels for form and interactive controls are informative. Avoid duplicating heading (e.g., "More Details") or label text (e.g., "First Name") unless the structure provides adequate differentiation between them</b>	<a href="#">WCAG 2.4.6 Headings and Labels</a>	Use unique heading and label text.	There are not two "More Information" headings or two "First Name" labels.

N/A	Pass	Fail	<b>2.4.7 Focus Visible (Level AA) - It is visually apparent which page element has the current keyboard focus (i.e., as you tab through the page, you can see where you are).</b>	<a href="#">WCAG 2.4.7 Focus Visible</a>	As you tab through the page, it is obvious where keyboard focus is.	Tabbing through a set of bulleted links shows a standard browser tab focus.
			<b>Understandable:</b> Content and interface are understandable.			
			<b>Guideline 3.1 Readable: Make text content readable and</b>			
			The Readable section relates to the language of a web page. The default and foreign	<a href="#">WCAG Understanding Guideline 3.1</a>		
N/A	Pass	Fail	<b>3.1.1 Language of Page (Level A) - The language of the page is identified using the HTML lang attribute (&lt;html lang="en"&gt;, for example).</b>	<a href="#">WCAG 3.1.1 Language of Page</a>	The page's html tag has a lang attribute of "en"	<html lang="en">
N/A	Pass	Fail	<b>3.1.2 Language of Parts (Level AA) - The language of page content that is in a different language is identified using the lang attribute (e.g., &lt;blockquote lang="es"&gt;).</b>	<a href="#">WCAG 3.1.2 Language of Parts</a>	Parts of the page that are not in English need to be marked with the lang attribute so that screenreaders read them in the correct language.	A German sentence is wrapped in a blockquote tag with the lang attribute of "de".
			<b>Guideline 3.2 Predictable: Make Web pages appear and operate in</b>			
			The Predictable section relates to web page elements and navigation. Note: this	<a href="#">WCAG Understanding Guideline 3.2</a>		
N/A	Pass	Fail	<b>3.2.1 On Focus (Level A) - When a page element receives focus, it does not result in a substantial change to the page, the spawning of a pop-up window, an additional change of keyboard focus, or any other change that could confuse or disorient the user.</b>	<a href="#">WCAG 3.2.1 On Focus</a>	When tabbing through the page, no element's focus triggers drastic changes in page or navigation focus.	Tabbing through the navigation menu does not open a pop-up window.
N/A	Pass	Fail	<b>3.2.2 On Input (Level A) - When a user inputs information or interacts with a control, it does not result in a substantial change to the page, the spawning of a pop-up window, an additional change of keyboard focus, or any other change that could confuse or disorient the user unless the user is informed of the change ahead of time.</b>	<a href="#">WCAG 3.2.2 On Input</a>	Typing in a text box or clicking on a checkbox does not trigger drastic changes in page or navigation focus.	Clicking on a checkbox does not open a pop-up window.
N/A	Pass	Fail	<b>3.2.3 Consistent Navigation (Level AA) - Navigation links that are repeated on web pages do not change order when navigating through the site.</b>	<a href="#">WCAG 3.2.3 Consistent Navigation</a>	Navigation links/menus that are on multiple pages do not change order.	Navigation on set of pages is always: Home, About Us, Contact Us, Forms, Publications
N/A	Pass	Fail	<b>3.2.4 Consistent Identification (Level AA) - Elements that have the same functionality across multiple web pages are consistently identified. For example, a search box at the top of the site should always be labeled the same way.</b>	<a href="#">WCAG 3.2.4 Consistent Identification</a>	Identical links and interactive items that are on multiple pages always do the same thing.	The department logo in the top left always links to the homepage.
			<b>Guideline 3.3 Input Assistance: Help users avoid and correct</b>			
			The Input Assistance section relates to web page forms, errors, instructions, and	<a href="#">WCAG Understanding Guideline 3.3</a>		
N/A	Pass	Fail	<b>3.3.1 Error Identification (Level A) - Required form elements or form elements that require a specific format, value, or length provide this information within the element's label (or if a label is not provided, within the element's title attribute).</b>	<a href="#">WCAG 3.3.1 Error Identification</a>	Asterisks alone are not sufficient for denoting required form elements. Specific format requirements such be indicated.	Date field's label says "enter date in format YYYYMMDD.

N/A	Pass	Fail	<b>3.3.1 Error Identification (Level A) - If utilized, form validation errors are presented in an efficient, intuitive, and accessible manner. The error is clearly identified, quick access to the problematic element is provided, and user is allowed to easily fix the error and resubmit the form.</b>	<a href="#">WebAIM form validation</a>	Advanced	
N/A	Pass	Fail	<b>3.3.2 Labels or Instructions (Level A) - Sufficient labels, cues, and instructions for required interactive elements are provided via instructions, examples, properly positioned form labels, and/or fieldsets/legends.</b>	<a href="#">WCAG 3.3.2 Labels or Instructions</a>	Forms have instructions for what a user needs to do. All input items are clearly and uniquely marked.	A form for requesting more information makes it clear the purpose of the form. Each input is marked with labels such as "First Name", "Last Name". There are "Phone" and "Email" fields instead of an ambiguous "Contact" input.
N/A	Pass	Fail	<b>3.3.3 Error Suggestion (Level AA) - If an input error is detected (via client-side or server-side validation), provide suggestions for fixing the input in a timely and accessible manner.</b>	<a href="#">WCAG 3.3.3 Error Suggestion</a>	Advanced	
N/A	Pass	Fail	<b>3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) - If the user can change or delete legal, financial, or test data, the changes/deletions can be reversed, verified, or confirmed.</b>	<a href="#">WCAG 3.3.4 Error Prevention (Legal, Financial, Data)</a>	If form input affects legal, financial or test data, the user should be prompted to confirm submitted changes.	User checks a confirmation statement before canceling a class.
<b>Robust:</b> Content can be used reliably by a wide variety of user agents, including						
<b>Guideline 4.1 Compatible: Maximize compatibility with current</b>						
The Compatible section relates to HTML/XHTML errors and markups. Note: this			<a href="#">WCAG Understanding Guideline 4.1</a>			
N/A	Pass	Fail	<b>4.1.1 Parsing (Level A) - Significant HTML/XHTML validation/parsing errors are avoided. Check at <a href="http://validator.w3.org/">http://validator.w3.org/</a></b>	<a href="#">WCAG 4.1.1 Parsing</a>	Check for source code errors using W3C validator.	
N/A	Pass	Fail	<b>4.1.2 Name, Role, Value (Level A) - Markup is used in a way that facilitates accessibility. This includes following the HTML/XHTML specifications and using forms, form labels, frame titles, etc. appropriately.</b>	<a href="#">WCAG 4.1.2 Name, Role, Value</a>	Advanced	